



Greenpanel Industries Limited  
3rd Floor, Plot No. 68, Sector 44, Gurugram 122003, Haryana.  
T +91-124-4784600 | F +91-124-4784699 | E info@greenpanel.com  
Toll Free No. 1800-102-2999 (Monday to Friday except holidays 10 am to 5 pm)  
Regd. Office: Makum Road, Tinsukia 786125, Assam | CIN L20100AS2017PLC018272

[www.greenpanel.com](http://www.greenpanel.com)



GREENPANEL  
Flooring

GREAT  
PLATFORM  
FOR  
GREATER  
PLAY





GREAT PLATFORM  
FOR GREATER PLAY

PERSONA  
COUNTRY OAK FLPE416

## ABOUT GREENPANEL

Greenpanel Industries Limited is India's largest manufacturer of wood panels.

Our product range of MDF, Plywood, Flooring, Veneers & Doors is marketed and distributed through our robust network of over 3,000 dealers pan India.

**Greenpanel Flooring**  
With a new brand and vision, we are committed to usher in a new generation of wood solutions which include our hallmark flooring range. Our team has carefully studied the latest International trends in flooring and curated it under the Prima and Persona collection.



PERSONA  
ANTIQUÉ OAK FLPE409



# Index

BRAND VISION & KEY MILESTONES

LUXURY IN THE LAP OF NATURE

THE NEW FLOORING TRENDS

THE GREENPANEL FLOORING ADVANTAGE

PERMACLICK™ THE MOST SUPERIOR LOCKING SYSTEM

KNOW GREENPANEL FLOORING BETTER

PRIMA COLLECTION

PERSONA COLLECTION

MAINTENANCE & CARE

INSTALLATION PROCESS

ACCESSORIES

WARRANTY



PERSONA  
NEVADA OAK ELPE405



PERSONA  
HERITAGE OAK FLPE413

## BRAND VISION


Every organisation in this world irrespective of size and domain works towards building a prosperous future for itself. We believe that the key to do so is by innovating products and exceeding customer satisfaction.

We at Greenpanel, envision the future of contemporary living spaces and then bring them to life.

We pride ourselves in coming up with innovations which help us in achieving our company's vision: To represent the infinite future possibilities in wood panelling.

Our logo is the perfect depiction of these infinite possibilities with a seamless merging of G & P to form an infinity symbol.

## KEY MILESTONES



# LUXURY IN THE LAP OF NATURE

Don't you love reminiscing amidst lush forests  
and birds chirping?  
Oh wait. But, you're at home. Sigh.

But what if we say our flooring solutions can make  
you feel that way. Quite a beautiful thought isn't it?

With Greenpanel flooring,  
it's like living in the lap of nature.  
Our Flooring is not just durable, it is eco-friendly too.  
Plus they make a style statement  
in every home they adorn.



PERSONA  
NATURAL OAK FLPE403





DARK WOOD TO  
CONNOTE LUXURY

PRIMA  
TAUPE OAK FL026



WARM SHADES TO GIVE  
A FEELING OF COSINESS

PRIMA  
PLUSH WALNUT FL022

## THE NEW FLOORING TRENDS- EMBRACING NATURE!

As we get more and more attuned to the modern and monotonous nature of urban life, we long more for the beauty and pleasure of living amidst nature. Adopting nature and natural living practices is becoming a fast way of life internationally and its catching up in India as well.

Wooden floors with their withered, natural look lend authenticity and harmony to living spaces. The style and appearance of your room is determined by the colour of your floor. Different shades of wood can match different tastes and personalities.

Real natural tones in Greenpanel flooring add timelessness. Lighter shades stand for extra spacious look and feel, warm shades for cosiness and darker shades for a dash of luxury.



LIGHTER SHADES  
FOR A SPACIOUS LOOK

PRIMA CRESCENT  
MOONLIGHT FLP510





## THE GREENPANEL FLOORING ADVANTAGE



Permaclick™  
Interlocking System

The most advanced flooring interlocking system available in the country gives Greenpanel flooring an unmatched quality and finish. It makes the installation process easy.



Scratch  
Resistant

This specially engineered surface coating makes flooring manifold stronger and resistant to surface scratches.



Water  
Resistant

The top surface treatment makes it non-porous and the Permaclick™ Technology does not allow the water to seep in, making the floor water resistant.



Hygienic & Easy  
To Maintain

Our surface protection technology ensures dirt doesn't cling to your floor while our precise interlocking system binds the planks perfectly, allowing absolutely no room for dust to accumulate.



100% HDF  
Base Core

The High density fibreboard at the core of Greenpanel flooring makes them strong, sturdier and more durable than any other flooring.



Warranty

There is a warranty of 10 years on the Prima collection and a warranty of 35 years on the Persona collection.



PRIMA  
PLUSH WALNUT FL022



PRIMA  
KALAHARI OAK FL005



PRIMA  
ATLANTIC OAK FLO25

## PERMACLICK™ THE MOST SUPERIOR CLICK LOCK SYSTEM

Unlike many floors, Greenpanel flooring do not have beveled edges or a V-Groove, but a 90-degree edge between two planks.

Due to imperfections in the manufacturing process of unlicensed interlocking systems made by other manufacturers, two adjoining wood planks do not sit level and are at different heights.


This results in the edge of one plank being higher than that of its adjoining plank (FIG.1).

In such a situation, a 90 - degree angle results in a very sharp edge, creating risk of injury when walking barefoot or there is a risk of tripping.

Due to the unique Permaclick™ interlocking system of Greenpanel Flooring, the edges are always in level.

There are no surface imperfections or edges sticking out (FIG.2).

### 90 - DEGREE EDGE



### IMPERFECT SURFACE (FIG.1)



### PERFECT SURFACE (FIG.2)





To overcome imperfection of the profile, the edges are beveled or shaped in a V-Groove to provide a gentler angle between the planks (FIG.3).


The process of beveling or V-Grooving involves trimming of each 90 - degree edge, resulting in the removal of the high-abrasive resistant layer and the decorative design layer which exposes the inner HDF core of the flooring (FIG.3). Since the protective layers get removed, this makes the HDF core highly susceptible to water ingress as well as accumulation of dirt.

Greenpanel Flooring have a unique angle snap method of layout that fits the planks together at 90 - degree angle for a perfect seamless finish.

This means Greenpanel flooring have 90 - degree edges that are safe, locked together with no portion of inner HDF core exposed. As a result, the floor is highly resistant to water ingress and dust accumulation.



V-GROOVE (FIG.3)



The tensile strength of the click system seals off the floor with an air tight finish that doesn't let liquid seep in and provides superior protection against moisture. As a result, our floors are more durable with minimal wear and tear.



KNOW  
GREENPANEL  
FLOORING  
BETTER

CHOOSE YOUR DECOR

PRIMA  
COLLECTION

PRIMA  
BROWN WALNUT FLP515

PERSONA  
COLLECTION

PERSONA  
IRISH OAK FLPE402

## CHOOSE YOUR GRADE



**AC3**  
Recommended  
for residential and  
low footfall areas.



**AC4**  
Recommended for residential,  
office spaces and light  
commercial applications.



**AC5**  
Recommended for medium to  
heavy duty commercial  
applications.

## CHOOSE YOUR TEXTURE




**OPEN GRAIN**  
Straight Line Effect



**CROWN**  
Curvy Dynamic Effect

## PRODUCT STRUCTURE



**TOP LAYER**  
High abrasion  
resistance overlay

**SECOND LAYER**  
Decorative  
design layer

**MIDDLE LAYER**  
100% HDF  
base core

**BASE LAYER**  
Moisture resistant  
backing layer



# PRIMA

COLLECTION-AC3/AC4

The Prima Collection is tailor made for new age residential living. This range spells class and luxury. The flooring gives a feeling of cleanliness, modernity and expanse that adds a feel of grandeur.



PRIMA  
TIMBER TRAIL FLO03



TOPAZ OAK FL002



TIMBER TRAIL FL003

KALAHARI OAK FL005

HIMALAYAN MERBAU FL011



EARTHEN APPLE FL013

AMAZON WALNUT NEW FL014N



SERENE SEPIA FL018

SUNDERBAN WENGE FL019

EARTHEN CHERRY FL020

PLUSH WALNUT FL022

RUSSIAN RIPPLES FL023



SHERWOOD DOZUKI FL024

ATLANTIC OAK FL025

TAUPE OAK FL026



FLINT OAK FL028



BUNRATTY FL027



ENGLISH TEAK FL029




SAMARA MAPLE FL030



GRENADA PINE FL031



BLOOMING CHERRY FL032



PEACH EMBER FL033





TAVERN TRAILS FLP504

ANTIQUE CADBURY FLP505

SEPIA TEAK FLP506

CRESCENT MOONLIGHT FLP510

DESSERT SUN FLP513

BROWNY WALNUT FLP515





# PERSONA

## COLLECTION AC4/AC5

Characterised by an extremely superior finish, these super premium flooring are handpicked from the best wood designs of the world. Each wooden tile is equal to 2-3 slim tiles, interspersed with grains and crown which infuse nature and breathe life into modern condos and commercial spaces.



PERSONA  
NAVARA OAK FLPE404



ACACIA FLPE401

IRISH OAK FLPE402



PERSONA  
ACACIA FLPE401

NATURAL OAK FLPE403

NAVARRA OAK FLPE404



PERSONA  
NATURAL OAK FLPE403

NEVADA OAK FLPE405

TAXUS FLPE406



AMERICAN OAK FLPE407



ANTIQUÉ OAK FLPE409



COLORADO OAK FLPE410



AMERICAN WALNUT FLPE411



BLEACHED OAK FLPE412



PERSONA  
COLORADO OAK FLPE410



HERITAGE OAK FLPE413



COFFEE OAK FLPE414








HICKORY WALNUT FLPE415




COUNTRY OAK FLPE416



NOIR PE417



ACER TEAK PE419




CANYON PERFECT PE420




ROYAL CHERRY PE421



MAHOGANY HUES PE422



ASH OAK PE423



CASPIO MARBLE PE424

## MAINTENANCE & CARE

Greenpanel flooring is easy to clean and maintain. The laminated top layer on the planks makes it spick and span year after year. These floors don't need any special cleaning agents or methods, just a squeezed out damp mop will do.



Sweep the floor using a standard dust mop to remove dirt and dust.



No need to use wax, polish, oil or varnish on the floor.



When necessary wipe the floor with a squeezed out damp cloth, using only water.



Do not use soap-based detergents or house hold cleaners to clean the floor.



Do not use abrasive cleaners on the floor.



In case something spills, simply wipe the floor with a dry cloth.



Use felt pads/rubber feet under furniture legs to avoid scratching.



Entry mats help in collecting sand, dirt, grit and other substances that may harm your floor.







PRIMA  
EARTHEN APPLE FL013

## INSTALLATION PROCESS

Laying Greenpanel flooring is extremely easy with the unique Permaclick™ technology.

### Easy Installation

Greenpanel flooring has the unique Permaclick™ interlocking system which ensures that the planks effortlessly click together.

### Easy to install on existing floor

Greenpanel flooring can be laid over any type of subfloor like concrete, stone, vinyl or ceramic as long as it is clean and dry.



# THE BEST ACCESSORIES TO GO WITH


Add the perfect finishing touch with Greenpanel flooring skirting and profiles. To complete the look of your stunning floor, you can choose from a wide range of designs that match every floor and style.

## UNDERLAY

Greenpanel premium 2-in-1 underlay is a combination of a 2 mm underlay and a PE foil. With the ease of just rolling out the underlay, you can level the subfloor irregularity, as well as reduce the risk of transferring humidity from the subfloor to the floor panels.


## SKIRTING

Provides finish to the floors by cladding the lower part of the adjoining walls.



## STAIR NOSE

Covers the open edges of the floor planks and provides a seamless transition between the horizontal and vertical sections of the staircase.



## T-PROFILE

Connects two sections of the floor at the same height.



## REDUCER

Provides a smooth transition from the floor to a lower surface such as tiled floor or carpet.



## BEADING

Creates a border between the floor and adjoining walls. Can be used as an alternate to skirting where skirting is not used.



# GREENPANEL FLOORING WARRANTY

Greenpanel flooring is a high quality product manufactured by Greenpanel Industries Limited. Our quality standards are backed by extensive warranty coverage. Greenpanel flooring is designed to provide many years of resistance to foot traffic friction without showing signs of significant wear and tear. This is under the conditions provided that no abrasive substances (salt, sand and glass) are present on the surface, the floor has been installed according to Greenpanel Industries Limited guidelines and the floor has been regularly maintained according to the manufacturer's instructions. See maintenance and care guidelines.

## LAMINATE FLOORING

On fulfilment of the below conditions, Greenpanel Industries Limited grants the following warranty on its Greenpanel Flooring.

**Prima collection - 10 years**

**Persona collection - 15 years**



## THE WARRANTY COVERS THE FOLLOWING:

### Stain Resistance

Greenpanel flooring is resistant to normal household stains on the decorative surface. The floor will not stain due to spills from beverages, when removed and cleaned promptly and properly.

### Fade Resistance

Greenpanel flooring is resistant to fading from exposure to indirect sunlight or normal artificial light with the exception of natural ageing.

### Wear Resistance

With respect to claims on surface wear-through, an area on the floor panel is considered worn out only if the surface wear is readily visible (ie. approximately 97 square cm) and the decorative layer has been exhausted until the core material is visible. Claims for surface wear-through are unacceptable if the surface wear-through occurs at the edges/joints of the panel. Gloss reduction is not considered to be surface worn-through.

### General Warranty Conditions

The warranty does not cover damage due to transportation, storage, installation, extreme indoor conditions (excessive dryness or humidity), pets, insects, water, negligence, or any other similar cause. The warranty covers only defective products exceeding 5% in m<sup>2</sup> of the total quantity purchased by the customer (excluding losses resulting from cutting boards during installation).

### Obligations by Greenpanel Industries Limited

Under the terms of this warranty, the responsibility of the manufacturer, Greenpanel Industries Limited, is limited to any of the following measures, at Greenpanel's sole discretion and without any other form of compensation:

- Supply the material necessary to replace the defective boards.
- Pay compensation equivalent to the purchase cost of the defective boards.

For complete information on warranty, please visit our website [www.gpwoodfloors.com](http://www.gpwoodfloors.com)