

COLLECTIONS









WINDOW BLINDS

Translucent

# TOSCANA

#### TECHNICAL PROPERTIES

LIGHT BLOKING COMPOSITION

Polyester 100% 0.27mm ±5% THICKNESS 110g/m/ ±5% WEIGHT

WIDTH FASTNESS TO LIGHT

PACKING

300cm Above 4 grade Solid 7.5cm / Sheer 5cm 50m/Rall





















#### TECHNICAL PROPERTIES

LIGHT BLOKING Translucent COMPOSITION Polyester 100% THICKNESS 026mm ±5% WEIGHT 67g/m' ±5%

WIDTH 300cm FASTNESS TO LIGHT Above 4 grade

STRIPE SIZE Solid 7.5cm / Sheer 5cm PACKING 50m / Rott























#### TECHNICAL PROPERTIES

LIGHT BLOKING Blackout COMPOSITION Polyester 100% THICKNESS 0.54mm ± 5%

WEIGHT 176g/m² ±5%:

FASTNESS TO LIGHT Above 4 grade STRIPE SIZE Solid 7.5cm / Sheer 5cm PACKING 50m / Roll















#### TECHNICAL PROPERTIES

LIGHT BLOKING Blackout COMPOSITION Polyester 100% THICKNESS 0.49mm ±5%

WEIGHT 175g/m² ±5%

WIDTH FASTNESS TO LIGHT Above 4 grade

PACKING

300cm STRIPESIZE Solid 9cm / Sheer 6cm 50m / Roll

















#### TECHNICAL PROPERTIES

LIGHT BLOKING Blackout COMPOSITION Polyester 100%

THICKNESS 0.50mm ± 5% WEIGHT 177g/m/ ± 5%

WIDTH 300cm

FASTNESS TO LIGHT Above 4 grade STRIPE SIZE Solid 8.5cm / Sheer 5.5cm

PACKING 50m/Rou















#### TECHNICAL PROPERTIES

LIGHT BLOKING Blackout COMPOSITION Polyester 100%

THICKNESS 0.49mm ± 17% WEIGHT 175g/m/ ±5%

WIDTH 300cm

FASTNESS TO LIGHT Above 4 grade STRIPE SIZE Solid 9cm / Sheer 6cm PACKING 50m / Roll















GREY

CHOCO











#### TECHNICAL PROPERTIES

LIGHT BLOKING Blackout EOMPOSITION Folyester 100% THICKNESS 0.57mm ± 5% WEIGHT 177g/n/ ± 57%

WIDTH 200cm FASTNESS TO LIGHT Above a grade STRIPE SIZE Solid 9cm / Sheet 6cm PACKING 50m/Rod

















WINDOW BLINDS

# RACHELL

#### TECHNICAL PROPERTIES

LIGHT BLOKING Blackout COMPOSITION: Polyester 100% THICKNESS 0.56mm ± 5%

WEIGHT


173g/n/ ±5%

WIDTH FASTNESS TO LIGHT STRIPESIZE PACKING

300cm Above 4 grade Solid 10cm / Sheer 7cm 50m / Roll









GOLD



WOOD



CHOCO



DK\_GREY










#### TECHNICAL PROPERTIES


LIGHT BLOKING Blockout COMPOSITION Polyester 100% THICKNESS 0.51mm ± 5% WEIGHT 175g/m² ± 5%

WIDTH: 300cm FASTNESS TO LIGHT Above 4 grade STRIPE SIZE - 5 5 5 6 m PACKING 50m / Roll










BEIGE



GOLD



WOOD



BROWN









#### TECHNICAL PROPERTIES

LIGHT BLOKING Blackout COMPOSITION Polyester 100% THICKNESS 0.50mm ± 5%

WEIGHT 177g/ml ±5%

WIDTH 300cm FASTNESS TO LIGHT Above 4 grade STRIPE SIZE Solid 8.5cm / Sheer 5.5cm PACKING 50m / Roll















#### TECHNICAL PROPERTIES

LIGHT BLOKING Blackout COMPOSITION Polyester 100% THICKNESS 0.50mm ± 5% WEIGHT 177g/et ±5%

WIDTH 300cm FASTNESS TO LIGHT Above 4 grade

STRIPE SIZE Solid 8.5cm / Street 5.5cm 50m / Roll















BLACKOUT



GREY



DCOM



CHOCO



CHARCOAL









WINDOW BLINDS

# BONITA

#### TECHNICAL PROPERTIES

LIGHT BLOWING Blackout COMPOSITION Polyester 100%

THICKNESS 0.59mm ±5% WEIGHT 210g/m² ±5%

WIDTH 300cm FASTNESS TO LIGHT Above 4 grade

PACKING

STRIPE SIZE Solid 10cm / Sheer 7cm 50m / Roll















#### TECHNICAL PROPERTIES

LIGHT BLOKING Blackout COMPOSITION Polyester 100%

THICKNESS 0.57mm ±5% WEIGHT

181g/m/ ±5%

WIDTH

FASTNESS TO LIGHT Above & grade

STRIPE SIZE Solid Scm / Sheer 3cm PACKING

300cm

50m/Roll















#### TECHNICAL PROPERTIES

LIGHT BLOKING Blackout COMPOSITION Polyester 100% THICKNESS 0.87mm ± 5%

WEIGHT 187g/W ±5%

WIDTH 290cm FASTNESS TO LIGHT Above 4 grade STRIPE SIZE Solid 12cm / Sheer 8cm PACKING 50m / Roll



















#### TECHNICAL PROPERTIES

LIGHT BLOKING Translucent Polyester 100%

COMPOSITION THICKNESS 0.44mm ±5%

168g/m/ ±5%

WIDTH 280cm

FASTNESS TO LIGHT Above 4 grade STRIPE SIZE

Solid 6cm/Sheer 6cm

Allm / Roll















WINDOW BLINDS

# BLACK LABEL

#### TECHNICAL PROPERTIES

DIGHT BLOKING Translation

COMPOSITION Polyester 100% THICKNESS 0.47mm ± 6% WEIGHT 151g/m ± 5%

WIDTH 280cm

FASTNESS TO LIGHT Above 4 grade STRIPESIZE Solid 8cm/Sheer 5.5cm PACKING

50m / Roll








CHARCOAL











DEEP BLUE









#### TECHNICAL PROPERTIES

LIGHT BLOKING Brackout COMPOSITION

THICKNESS

Polyester 100% 0.53mm ±5% 195g/ml ±67%

WIDTH 300cm FASTNESS TO LIGHT Above 4 grade

PACKING

STRIPE SIZE Solid 10cm / Sheer 7cm

50m / Rall















#### TECHNICAL PROPERTIES

LIGHT BLOKING Translucent COMPOSITION Polyester 100% THICKNESS 0.60mm ±5%

138g/nf ± 5%

WIDTH 300cm FASTNESS TO LIGHT Above 4 grade STRIPE SIZE Solid 10cm / Sheer 7cm PACKING

50m / Rott















WINDOW BLINDS

# MARONNIER

#### TECHNICAL PROPERTIES

LIGHT BLOKING Translucent Polyester 108%

0.40mm ± 5%

WEIGHT 133g/m/ ±5% WIDTH

FASTNESS TO LIGHT Above 4 grade

STRIPESIZE PACKING

288cm


Solid 12cm / Sheer 8cm

50m/Roll











BEIGE



PEACH



BROWN



CHOCOLATE









#### TECHNICAL PROPERTIES

 LIGHT BLOKING
 Translucent

 COMPOSITION
 Polyester 100%

 THICKNESS
 0.60mm ± 5%

 WEIGHT
 105g/m² ± 5%

WIDTH 280cm

FASTNESS TO LIGHT Above 4 grade

STRIPE SIZE Solid 7.5cm / Sheer 5cm

PACKING 50m / Roll















#### TECHNICAL PROPERTIES

ROPERTIES
Translucent WIDTH 300cm

 LIGHT BLOKING
 Translucent
 WIOTH
 300cm

 COMPOSITION
 Polyester 100%
 FASTNESS TO LIGHT
 Above 4 grade

 THICKNESS
 0.64mm ± 5%
 STRIPE SIZE
 Solid 7.5cm / Sheer 5cm

 WEIGHT
 142g/m² ± 5%
 PACKING
 50m / Rott





LIGHT BLOKING

COMPOSITION

THICKNESS

WEIGHT


Translucent

Polyester 100%

0.40mm ± 5%

112g/m² ±5%

### **ZEBRA BLINDS**



WIDTH

FASTNESS TO LIGHT

STRIPE SIZE

PACKING

280cm


Above 4 grade

50m / Roll

Solid 7.5cm / Sheer 5cm












BEIGE














MUSHROOM



BEIGE



BROWN



CHOCOLATE









#### TECHNICAL PROPERTIES

LIGHT BLOKING Translucent COMPOSITION THICKNESS

Polyester 100% 0.48mm ±5% 135y/# ±5%

WIDTH 300cm FASTNESS TO LIGHT Above 4 grade PACKING

STRIPE SIZE Solid 7.5cm / Sheart 5cm 50m / Roll















#### TECHNICAL PROPERTIES

LIGHT BLOKING Blackmat COMPOSITION Polyester 100% THICKNESS 0.68mm ± 5%

WEIGHT 210g/mt ±5%

FASTNESS TO LIGHT Above 4 grade STRIPE SIZE Solid 10cm / Sheer 7cm PACKING 50m / Roll



















# LINEN






BROWN



BEIGE



CHOCOLATE



GREY











#### TECHNICAL PROPERTIES

LIGHT BLCKING

Translucent

COMPOSITION Polyester 100%
THICKNESS 0.29mm ± 5%

WEIGHT 95g/m² ±5%

WIOTH

PACKING

FASTNESS TO LIGHT AS STRIPE SIZE So

320cm

Above 4 grade

Solid 7.5cm / Sheer 5cm

60m / Roll













WINDOW BLINDS

# PICASSO 1

#### TECHNICAL PROPERTIES

LIGHT BLOKING Translacent COMPOSITION Polyester 100% THICKNESS 0.65mm ± 5%

WEIGHT 199g/m ± 5%

WIDTH 290cm

FASTNESS TO LIGHT Above 4 orade STRIPE SIZE 8cm PACKING 30m / Roll





















#### TECHNICAL PROPERTIES

LIGHT BLOKING COMPOSITION THICKNESS

WEIGHT

Translucent Polyester 100% 0.49mm ± 5% 130g/m² ±5%

WIDTH

FASTNESS TO LIGHT Above 4 grade PACKING

600

STRIPE SIZE Solid 7.5cm / Sheer 5cm 50m / Roll

300 cm















#### TECHNICAL PROPERTIES

LIGHT BLOKING Translucent COMPOSITION Provester 100%

THICKNESS 0.30mm ± 5% WEIGHT

114g/m/ ±5%

WIDTH 300cm FASTNESS TO LIGHT Above 4 grade

STRIPE SIZE Solid 7.5cm/Sheer 5cm PACKING

50m / Roll















#### TECHNICAL PROPERTIES

LIGHT BLOKING Blackout COMPOSITION Polyester 100%

THICKNESS 8.49mm ±5% WEIGHT 183g/m² ±5%

WIBTH 280 cm

FASTNESS TO LIGHT Above 4 grade

STRIPE SIZE Solid 7.5cm / Sheer 5cm PACKING

40m / Roll











WHITE



SAND



GREY



GREEN



VIOLET









#### TECHNICAL PROPERTIES

 LIGHT BLOKING
 Translacent

 COMPOSITION
 Polyester 100%

 THICKNESS
 0.90mm ± 5%

 WEIGHT
 274g/m² ± 5%

WIDTH 280cm


FASTNESS TO LIGHT Above 4 grade

STRIPE SIZE 7.5cm

PACKING 30m / Roti















WINDOW BLINDS

# HINDWOOD

#### TECHNICAL PROPERTIES

LIGHT BLOKING Translucent COMPOSITION Polyester 100%

THICKNESS 8.44mm ±5% WEIGHT 161g/m\* ±5%

WIDTH 315cm

FASTNESS TO LIGHT Above 4 grade STRIPE SIZE Solid 75cm / Sheer 5cm

PACKING 50m / Roll















#### TECHNICAL PROPERTIES

LIGHT BLOKING Translucent COMPOSITION Polyester 100% THICKNESS 0.50mm ± 5%

WEIGHT 156g/m1 ± 5%...

WIDTH 300cm FASTNESS TO LIGHT Above 4 grade STRIPE SIZE Solid 9cm / Sheer 6cm

PACKING 50m / Roll















#### **TECHNICAL PROPERTIES**

LIGHT BLOKING Translucent

COMPOSITION Polyester 100% THICKNESS 0.75mm ± 5%

WEIGHT 118.4g/m² ± 5%

FASTNESS TO LIGHT Above 4 grade. STRIPE SIZE Solid 12cm / Sheer 8cm.

PACKING 50m / Roll





















WINDOW BLINDS

# MORENO

#### TECHNICAL PROPERTIES

LIGHT BLOKING

WEIGHT

COMPOSITION Polyester 100% THICKNESS 0.41mm ±5%

122g/m" ±5%

Translucent

WIDTH

FASTNESS TO LIGHT Above 4 grade

PACKING

Solid 7.5cm / Sheer 5cm

50m / Roll

300cm















WINDOW BLINDS

# LUNA

#### TECHNICAL PROPERTIES

LIGHT BLOKING
COMPOSITION
THICKNESS

WEIGHT

NG Blackout
N Polyester 100%
0.50mm ± 5%
185.7g/n² ± 5%

WIDTH
FASTNESS TO LIGHT
STRIPE SIZE

PACKING

300cm Above 4 grade Solid 8.5cm/Sheer 5.5cm 50m/Roll










IVORY



GREY



СНОСО



BLUE

